
The Trail Inventory of William L. Finley NWR Corvallis, OR





Prepared By: Federal Highway Administration Central Federal Lands Highway Division December, 2011



TABLE OF CONTENTS

| <u>SECTION</u> | | <u>PAGE</u> |
|----------------|-----------------------------------|-------------|
| I. | TRAIL AND TRAIL FEATURE SUMMARIES | 1 - 1 |
| II. | TRAIL LOCATION MAPS | 2 - 1 |
| III. | TRAIL IDENTIFICATION LIST | 3 - 1 |
| IV. | TRAIL CONDITION RATING SHEETS | 4 - 1 |
| V. | TRAIL DEFICIENCY RATING SHEETS | 5 - 1 |
| VI. | PHOTOGRAPHIC SHEETS | 6 - 1 |
| VII. | GLOSSARY | i |

William L. Finley NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

| Trail Surface | Excell | lent | Very P | oor | Othe | ers | Total |
|---------------|--------|------|--------|-----|-------|------|-------|
| Туре | Miles | % | Miles | % | Miles | % | Miles |
| Native | 4.09 | 78% | 1.17 | 22% | 0.00 | 0% | 5.26 |
| Gravel | 0.23 | 100% | 0.00 | 0% | 0.00 | 0% | 0.23 |
| Concrete | 0.02 | 100% | 0.00 | 0% | 0.00 | 0% | 0.02 |
| Boardwalk | 1.01 | 100% | 0.00 | 0% | 0.00 | 0% | 1.01 |
| Mowed | 3.72 | 100% | 0.00 | 0% | 0.00 | 0% | 3.72 |
| Admin Road | 0.00 | 0% | 0.00 | 0% | 5.80 | 100% | 5.80 |
| Total | 9.07 | 57% | 1.17 | 7% | 5.80 | 36% | 16.04 |

Trail Miles and Percentages by Trail Classification and Condition

| Trail | Excellent | | Very Poor | | Others | | Total |
|----------------|-----------|------|-----------|-----|--------|-----|-------|
| Classification | Miles | % | Miles | % | Miles | % | Miles |
| TC1 | 0.15 | 45% | 0.18 | 55% | 0.00 | 0% | 0.33 |
| TC2 | 0.00 | 0% | 0.99 | 90% | 0.11 | 10% | 1.10 |
| тсз | 8.29 | 91% | 0.00 | 0% | 0.87 | 9% | 9.16 |
| TC4 | 0.11 | 2% | 0.00 | 0% | 4.82 | 98% | 4.93 |
| TC5 | 0.52 | 100% | 0.00 | 0% | 0.00 | 0% | 0.52 |
| Total | 9.07 | 57% | 1.17 | 7% | 5.80 | 36% | 16.04 |

^{*}Admin Roads are included in the inventory but are not rated for condition.

Report Generated: 12/29/2011 1 - 1

Trail Features

| Trail Number | Feature Type | Quantity | Grouped Feature | Milepost | Photo |
|-----------------|---------------------|----------|--------------------|----------|--------------|
| T100 | Trailhead | 1 | No | 0.00 | WIFI_C2_1122 |
| T100 | Sign | 1 | No | 0.00 | WIFI_C2_1122 |
| T100 | Boardwalk -If | 10 | No | 0.11 | WIFI_C2_1123 |
| T100 | Boardwalk -If | 10 | No | 0.13 | WIFI_C2_1125 |
| T100 | Lookout/Ob Deck | 1 | No | 0.15 | WIFI_C2_1126 |
| T200 | Trailhead | 1 | No | 0.00 | WIFI_C2_0018 |
| T200 | Sign | 1 | No | 0.34 | WIFI_C2_0021 |
| T200 | Culvert -lf | 65 | No | 0.49 | |
| T200 | Begin Section | 1 | No | 0.49 | WIFI_C2_0022 |
| T300 | Trailhead | 1 | No | 0.00 | WIFI_C2_0013 |
| T300 | Sign | 1 | No | 0.06 | WIFI_C2_0014 |
| T300 | Boardwalk -If | 95 | No | 0.13 | WIFI_C2_0015 |
| T300 | Lookout/Ob Deck | 1 | No | 0.14 | |
| T301 | Trailhead | 1 | No | 0.00 | WIFI_C2_0016 |
| T301 | Sign | 5 | No | 0.00 | WIFI_C2_0017 |
| T301 | Gate | 1 | No | 0.00 | |
| T301 | Intersection | 1 | No | 0.48 | |
| T301 | Begin Section | 1 | No | 0.48 | |
| T301 | Sign | 2 | No | 0.79 | WIFI_C2_0026 |
| T301 | Sign | 1 | No | 0.84 | WIFI_C2_0025 |
| T301 | Bridge -sf | 60 | No | 0.84 | WIFI_C2_0024 |
| T302 | Sign | 1 | No | 0.00 | WIFI_C2_0046 |
| T302 | Sign | 2 | No | 0.00 | WIFI_C2_0047 |
| T302 | Trailhead | 1 | No | 0.00 | WIFI_C2_0045 |
| T302 | Culvert -lf | 11 | No | 0.10 | |
| T302 | Culvert -lf | 11 | No | 0.11 | |
| T302 | Intersection | 1 | No | 0.14 | |
| T302 | Culvert -lf | 15 | No | 0.23 | |
| T302 | Sign | 5 | Yes | 0.25 | WIFI_C2_0049 |
| T302 | Drainage Dips -each | 1 | No | 0.31 | |
| T302 | Begin Section | 1 | No | 0.36 | WIFI_C2_0051 |
| T302 | Sign | 6 | No | 0.54 | WIFI_C2_0053 |
| T302 | Begin Section | 1 | No | 0.54 | WIFI_C2_0052 |
| T302 | Intersection | 1 | No | 0.54 | |
| T302 | Sign | 1 | No | 0.63 | WIFI_C2_0054 |
| T302 | Culvert -If | 11 | No | 0.65 | |
| T302 | Bench | 1 | No | 0.70 | |
| T302 | Bench | 1 | No | 1.09 | WIFI_C2_1092 |

| T302 | Sign | 1 | No | 1.09 | WIFI_C2_1093 |
|------|-----------------|-----|-----|------|--------------|
| T302 | Bench | 1 | No | 1.48 | |
| T302 | Sign | 1 | No | 1.85 | WIFI_C2_1094 |
| T302 | Bench | 1 | No | 2.12 | |
| T303 | Trailhead | 1 | No | 0.00 | WIFI_C2_0030 |
| T303 | Sign | 4 | Yes | 0.00 | WIFI_C2_0031 |
| T303 | Bridge -sf | 140 | No | 0.20 | WIFI_C2_0032 |
| T303 | Boardwalk -If | 38 | No | 0.30 | WIFI_C2_0033 |
| T304 | Trailhead | 1 | No | 0.00 | WIFI_C2_0040 |
| T304 | Sign | 1 | No | 0.00 | WIFI_C2_0041 |
| T304 | Sign | 3 | No | 0.00 | WIFI_C2_0042 |
| T304 | Bridge -sf | 120 | No | 0.09 | WIFI_C2_0039 |
| T304 | Boardwalk -If | 60 | No | 0.10 | WIFI_C2_0038 |
| T304 | Sign | 1 | No | 0.11 | WIFI_C2_1106 |
| T304 | Lookout/Ob Deck | 1 | No | 0.30 | |
| T304 | Sign | 3 | No | 0.31 | WIFI_C2_1107 |
| T304 | Sign | 1 | No | 0.39 | WIFI_C2_1108 |
| T304 | Boardwalk -If | 27 | No | 0.45 | WIFI_C2_0037 |
| T304 | Bench | 1 | No | 0.51 | |
| T304 | Boardwalk -If | 95 | No | 0.55 | WIFI_C2_0036 |
| T304 | Begin Section | 1 | No | 0.59 | WIFI_C2_0035 |
| T304 | Bridge -sf | 100 | No | 0.59 | WIFI_C2_0035 |
| T304 | Sign | 1 | No | 0.61 | WIFI_C2_1109 |
| T304 | Begin Section | 1 | No | 0.63 | WIFI_C2_0034 |
| T304 | Boardwalk -If | 750 | No | 0.63 | WIFI_C2_0034 |
| T304 | Sign | 1 | No | 0.70 | WIFI_C2_1104 |
| T304 | Sign | 1 | No | 0.70 | WIFI_C2_1102 |
| T304 | Sign | 1 | No | 0.70 | WIFI_C2_1103 |
| T304 | Sign | 1 | No | 1.00 | WIFI_C2_1105 |
| T305 | Trailhead | 1 | No | 0.00 | WIFI_C2_0061 |
| T305 | Culvert -If | 10 | No | 0.01 | |
| T305 | Sign | 1 | No | 0.16 | WIFI_C2_1111 |
| T305 | Bench | 1 | No | 0.16 | |
| T305 | Begin Section | 1 | No | 0.34 | |
| T305 | Sign | 2 | Yes | 0.35 | WIFI_C2_0062 |
| T305 | Begin Section | 1 | No | 0.43 | WIFI_C2_1113 |
| T305 | Lookout/Ob Deck | 1 | No | 0.48 | WIFI_C2_1112 |
| T305 | Sign | 3 | Yes | 0.62 | WIFI_C2_1114 |
| T305 | Intersection | 1 | No | 0.72 | |
| T306 | Trailhead | 1 | No | 0.00 | WIFI_C2_0065 |
| T306 | Intersection | 1 | No | 0.00 | |
| T306 | Intersection | 1 | No | 0.06 | |
| T307 | Trailhead | 1 | No | 0.00 | WIFI_C2_0063 |

| T307 | Begin Section | 1 | No | 0.21 | WIFI_C2_0064 |
|------|-----------------|----|----|------|--------------|
| T308 | Trailhead | 1 | No | 0.00 | WIFI_C2_1100 |
| T308 | Begin Section | 1 | No | 0.10 | WIFI_C2_1101 |
| T308 | Sign | 1 | No | 0.27 | WIFI_C2_1099 |
| T308 | Sign | 1 | No | 0.32 | WIFI_C2_1098 |
| T308 | Begin Section | 1 | No | 0.41 | WIFI_C2_1097 |
| T308 | Begin Section | 1 | No | 0.48 | WIFI_C2_1096 |
| T309 | Trailhead | 1 | No | 0.00 | WIFI_C2_1127 |
| T309 | Gate | 1 | No | 0.01 | WIFI_C2_1128 |
| T309 | Sign | 2 | No | 0.01 | WIFI_C2_1129 |
| T309 | Sign | 2 | No | 0.73 | WIFI_C2_1130 |
| T309 | Sign | 1 | No | 0.91 | WIFI_C2_1131 |
| T309 | Intersection | 1 | No | 1.04 | WIFI_C2_1132 |
| T310 | Trailhead | 1 | No | 0.00 | WIFI_C2_1133 |
| T400 | Sign | 1 | No | 0.00 | WIFI_C2_0003 |
| T400 | Trailhead | 1 | No | 0.00 | WIFI_C2_0001 |
| T400 | Sign | 1 | No | 0.00 | WIFI_C2_0002 |
| T400 | Boardwalk -If | 56 | No | 0.05 | WIFI_C2_0004 |
| T400 | Lookout/Ob Deck | 1 | No | 0.05 | |
| T400 | Sign | 1 | No | 0.06 | WIFI_C2_0005 |
| T400 | Sign | 2 | No | 0.07 | WIFI_C2_0006 |
| T400 | Intersection | 1 | No | 0.09 | |
| T401 | Trailhead | 1 | No | 0.00 | WIFI_C2_0007 |
| T401 | Sign | 1 | No | 0.00 | WIFI_C2_0008 |
| T401 | Culvert -If | 50 | No | 0.74 | |
| T401 | Sign | 6 | No | 0.84 | WIFI_C2_0009 |
| T401 | Intersection | 1 | No | 0.84 | |
| T401 | Intersection | 1 | No | 1.31 | |
| T402 | Sign | 4 | No | 0.00 | WIFI_C2_0012 |
| T402 | Trailhead | 1 | No | 0.00 | WIFI_C2_0011 |
| T402 | Begin Section | 1 | No | 0.92 | WIFI_C2_0010 |
| T402 | Culvert -If | 30 | No | 1.66 | |
| T403 | Sign | 1 | No | 0.00 | WIFI_C2_0056 |
| T403 | Sign | 3 | No | 0.00 | WIFI_C2_1110 |
| T403 | Trailhead | 1 | No | 0.00 | WIFI_C2_0055 |
| T403 | Bench | 2 | No | 0.01 | |
| T403 | Lookout/Ob Deck | 1 | No | 0.02 | |
| T404 | Trailhead | 1 | No | 0.00 | WIFI_C2_0057 |
| T404 | Intersection | 1 | No | 0.48 | |
| T404 | Intersection | 1 | No | 0.74 | |
| T404 | Culvert -If | 25 | No | 0.93 | |
| T404 | Culvert -If | 28 | No | 1.23 | |
| T500 | Trailhead | 1 | No | 0.00 | WIFI_C2_0043 |

| T500 | Sign | 3 | Yes | 0.02 | WIFI_C2_0044 |
|------|-----------------|---|-----|------|--------------|
| T500 | Bench | 1 | No | 0.02 | |
| T501 | Sign | 1 | No | 0.00 | WIFI_C2_0059 |
| T501 | Trailhead | 1 | No | 0.00 | WIFI_C2_0058 |
| T501 | Bench | 1 | No | 0.07 | |
| T501 | Sign | 2 | Yes | 0.07 | WIFI_C2_0060 |
| T501 | Lookout/Ob Deck | 1 | No | 0.07 | |
| T502 | Sign | 3 | No | 0.00 | WIFI_C2_1116 |
| T502 | Trailhead | 1 | No | 0.00 | WIFI_C2_1115 |
| T502 | Bench | 1 | No | 0.10 | WIFI_C2_1117 |
| T502 | Bench | 1 | No | 0.20 | WIFI_C2_1118 |
| T502 | Begin Section | 1 | No | 0.30 | WIFI_C2_1121 |
| T502 | Lookout/Ob Deck | 1 | No | 0.31 | WIFI_C2_1119 |
| T502 | Bench | 2 | No | 0.31 | WIFI_C2_1120 |

sf - square feet If - linear feet


cf - cubic feet

Umatilla NWR Trail Location Map










HQ/VC

Umatilla NWR Trail Location Map










Umatilla NWR Trail Location Map







0 0.65 1.3



Trails ID


Station Name: William L. Finley NWR Org Code: 13589

| Trail Number | Trail Name | Surface Type | SAMMS | Trail Mileage | Trail Description (Begin and End point of trail) |
|-----------------|---|--------------|----------|------------------|---|
| T100 | Photoblind Trail | Native | N/A | 0.15 | From Parking (Rte 901) to Photoblind |
| T200 | Cattail Pond Trail | Admin Road | 10004451 | 0.11 | From Beaver Pond Trail (T301) to End of trail at Mid Refuge Connection Trail (T404) |
| T200 | Cattail Pond Trail | Native | 10004451 | 0.49 | From Beaver Pond Trail (T301) to End of trail at Mid Refuge Connection Trail (T404) |
| T300 | McFadden Marsh Observation Blind Trail | Gravel | 10048201 | 0.14 | From McFadden Marsh Obs. Blind Parking Area (Rte 912) to observation blind |
| T301 | Beaver Pond Trail | Admin Road | 10004448 | 0.48 | From Pigeon Butte Trail Parking (Rte 906) to Mid Refuge Connection Trail (T404) |
| T301 | Beaver Pond Trail | Native | 10004448 | 0.50 | From Pigeon Butte Trail Parking (Rte 906) to Mid Refuge Connection Trail (T404) |
| T302 | Mill Hill Trail | Admin Road | 10004446 | 0.18 | From Mill Hill Trail HC Parking (Rte 918) to End of loop |
| T302 | Mill Hill Trail | Native | 10004446 | 2.20 | From Mill Hill Trail HC Parking (Rte 918) to End of loop |
| T303 | Inter-Tie Trail | Native | 10048902 | 0.46 | From Sec 001 of Mill Hill Trail (T302) to Woodpecker Trail (T304) |
| T304 | Woodpecker Trail | Boardwalk | 10004491 | 0.49 | From Woodpecker Loop Parking (Rte 908) to end of loop |
| T304 | Woodpecker Trail | Native | 10004491 | 0.63 | From Woodpecker Loop Parking (Rte 908) to end of loop |
| T305 | Snag Boat Bend Lake Creek Trail | Mowed | 10048577 | 0.80 | From End of Snag Boat Boardwalk Trail (T501) to Turtle Loop Trail (T306) |
| T305 | Snag Boat Bend Lake Creek Trail | Native | 10048577 | 0.18 | From End of Snag Boat Boardwalk Trail (T501) to Turtle Loop Trail (T306) |
| T306 | Turtle loop Trail | Mowed | 10048577 | 0.41 | From Sec 002 of Snag Boat Boardwalk Trail (T305) to End of loop |
| T307 | Dike Trail | Admin Road | 10048577 | 0.21 | From Sec 001 of Snag Boat Boardwalk Trail (T305) to Turtle Loop Trail (T306) |

| T307 | Dike Trail | Mowed | 10048577 | 0.19 | From Sec 001 of Snag Boat Boardwalk Trail (T305) to Turtle Loop Trail (T306) |
|------|-----------------------------------|------------|----------|------|--|
| T308 | Mill Hill Extension | Boardwalk | N/A | 0.07 | From Inter-Tie Trail (T303) To Mill Hill Trail (T302) |
| T308 | Mill Hill Extension | Mowed | N/A | 0.13 | From Inter-Tie Trail (T303) To Mill Hill Trail (T302) |
| T308 | Mill Hill Extension | Native | N/A | 0.65 | From Inter-Tie Trail (T303) To Mill Hill Trail (T302) |
| T309 | Cheadle Marsh Trail | Mowed | N/A | 1.04 | From Bruce Road to End of Trail |
| T310 | Blue Heron Trail | Mowed | N/A | 1.15 | From Snag Boat Bend Lake Creek Trail (T305) to End of Loop |
| T400 | Cabell Marsh Overlook Trail | Gravel | 10048207 | 0.09 | From Refuge Office Parking (Rte 900) to Cabell Marsh Trail (T401) |
| T401 | Cabell Marsh Trail | Admin Road | 10004445 | 1.31 | From Cabell Marsh Overlook Trail (T400) to Mid Refuge Connection Trail (T404) |
| T402 | Pigeon Butte Trail | Admin Road | 10004454 | 2.23 | From Bruce Road Overlook Parking (Rte 907) to Cabell Marsh Trail (T401) |
| T403 | Finley Prairie Boardwalk Trail | Boardwalk | N/A | 0.02 | From Parking Lot #1 (Rte 901) to observation deck |
| T404 | Mid Refuge Connection Trail | Admin Road | N/A | 1.28 | From Sec 002 of Mill Hill Trail (T302) to End of trail at Cabell Marsh Trail (T401) |
| T500 | Turtle Flats Walkway Trail | Concrete | 10048906 | 0.02 | From Restroom Parking (Rte 902) to end of trail |
| T501 | Snag Boat Boardwalk Trail | Boardwalk | 10048577 | 0.07 | From Snag Boat Bend HC Parking North (Rte 922) to end of trail at Snag Boat Bend Lake Creek Trail (T305) |
| T502 | Homer Campbell Boardwalk Trail | Boardwalk | N/A | 0.36 | From Parking Finley Refuge Road to Observation Deck |

Report Generated: 12/29/2011 3 - 2





Trail Name:Photoblind TrailRefuge Name:William L. Finley NWRTrail Number:T100Region: 1Total Length:0.15 Miles

| I . | |
|-----------------------------|------------|
| Section Number | 001 |
| Section Length (miles) | 0.15 |
| SAMMS Number | N/A |
| Rating Date | 07/14/2011 |
| Trail Section Information | |
| Trail Class | TC1 |
| Surface Type | Native |
| Surface Firmness | Paved |
| Width (inches) | 6 |
| Average Grade (%) | 1.2 |
| Average X-slope (%) | 0.30 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$1,913 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|---------|------|-----------|
| | \$1,913 | 0.00 | Excellent |





Trail Name:Cattail Pond TrailRefuge Name:William L. Finley NWRTrail Number:T200Region: 1Total Length:0.60 Miles

| Section Number | 001 | 002 |
|-----------------------------|------------|------------|
| Section Length (miles) | 0.49 | 0.11 |
| SAMMS Number | 10004451 | 10004451 |
| Rating Date | 06/05/2007 | 06/05/2007 |
| Trail Section Information | | |
| Trail Class | TC2 | TC2 |
| Surface Type | Native | Admin Road |
| Surface Firmness | Firm | Firm |
| Width (inches) | 58 | 108 |
| Average Grade (%) | 2.6 | 2.6 |
| Average X-slope (%) | 1.50 | 1.50 |
| Trail Condition Information | | |
| Deferred Maintenance | \$23,595 | |
| CRV | \$60,414 | |
| FCI | 0.39 | |
| Condition | Very Poor | |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| \$23,595 | \$60,414 | 0.39 | Very Poor |




| 0.04 | | 0.04 0.08 | 5 0.1 | Miles |
|-------------------------|-----------------------------------|---|---------------------------|------------------|
| Excellent | Good Fair | Poor Poor | Very Poor | Admin Road |
| Begin Section Trailhead | Check Dam Retaining Wall | Step Feature Max. Grade | ⊠ Gate ⊯ Bridge ⊞ Bench | W E |
| | Raised Trail Structure Water Bar | → Min. Width→ Intersection | Bench | Station Boundary |


Trail Name: McFadden Marsh Observation Blin Refuge Name: William L. Finley NWR

Trail Number: T300 Region: 1 Total Length: **0.14 Miles**

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.14 |
| SAMMS Number | 10048201 |
| Rating Date | 06/05/2007 |
| Trail Section Information | |
| Trail Class | TC3 |
| Surface Type | Gravel |
| Surface Firmness | Firm |
| Width (inches) | 58 |
| Average Grade (%) | 0.9 |
| Average X-slope (%) | 0.60 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$18,831 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$18,831 | 0.00 | Excellent |







Trail Name: Beaver Pond Trail Refuge Name: William L. Finley NWR

Trail Number: T301 Region: 1 Total Length: 0.98 Miles

| | | l |
|-----------------------------|------------|------------|
| Section Number | 001 | 002 |
| Section Length (miles) | 0.48 | 0.50 |
| SAMMS Number | 10004448 | 10004448 |
| Rating Date | 06/05/2007 | 06/05/2007 |
| Trail Section Information | | |
| Trail Class | TC3 | TC2 |
| Surface Type | Admin Road | Native |
| Surface Firmness | Firm | Firm |
| Width (inches) | 108 | 58 |
| Average Grade (%) | 1.9 | 1.6 |
| Average X-slope (%) | 2.20 | 2.10 |
| Trail Condition Information | | |
| Deferred Maintenance | | \$21,880 |
| CRV | | \$61,646 |
| FCI | | 0.32 |
| Condition | | Very Poor |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| \$21,880 | \$61,646 | 0.32 | Very Poor |





Trail Name:Mill Hill TrailRefuge Name:William L. Finley NWRTrail Number:T302Region:1


| | | | | 1 |
|-----------------------------|------------|------------|------------|---|
| Section Number | 001 | 002 | 003 | |
| Section Length (miles) | 0.36 | 0.18 | 1.84 | |
| SAMMS Number | 10004446 | 10004446 | 10004446 | |
| Rating Date | 06/05/2007 | 06/05/2007 | 06/05/2007 | |
| Trail Section Information | | | | |
| Trail Class | TC3 | TC3 | TC3 | |
| Surface Type | Native | Admin Road | Native | |
| Surface Firmness | Firm | Hard | Firm | |
| Width (inches) | 32 | 108 | 72 | |
| Average Grade (%) | 2.7 | 2.7 | 2.7 | |
| Average X-slope (%) | 2.30 | 2.30 | 2.30 | |
| Trail Condition Information | | | | |
| Deferred Maintenance | | | | |
| CRV | \$24,489 | | \$281,616 | |
| FCI | 0.00 | | 0.00 | |
| Condition | Excellent | | Excellent | |

Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----------|------|-----------|
| | \$306,105 | 0.00 | Excellent |

Total Length: 2.38 Miles






Trail Name:Inter-Tie TrailRefuge Name:William L. Finley NWRTrail Number:T303Region: 1Total Length:0.46 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.46 |
| SAMMS Number | 10048902 |
| Rating Date | 06/05/2007 |
| Trail Section Information | |
| Trail Class | TC3 |
| Surface Type | Native |
| Surface Firmness | Firm |
| Width (inches) | 42 |
| Average Grade (%) | 4.2 |
| Average X-slope (%) | 0.80 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$41,070 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$41,070 | 0.00 | Excellent |





Trail Name: Woodpecker Trail Refuge Name: William L. Finley NWR T304 Trail Number: Region: 1

Section Number 001 002 003 Section Length (miles) 0.59 0.04 0.49 10004491 10004491 10004491 SAMMS Number 06/05/2007 06/05/2007 06/05/2007 Rating Date Trail Section Information TC3 TC3 TC3 Trail Class Native Native Boardwalk Surface Type Surface Firmness Firm Firm Firm Width (inches) 48 48 60 Average Grade (%) 1.9 1.9 1.9 Average X-slope (%) 2.60 2.60 2.60 **Trail Condition Information Deferred Maintenance** \$60,202 \$4,082 \$337,891 CRV 0.00 0.00 0.00 FCI Excellent Excellent Excellent


Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----------|------|-----------|
| | \$402,175 | 0.00 | Excellent |

Condition

Total Length: 1.12 Miles





Trail Name: Snag Boat Bend Lake Creek Trail Refuge Name: William L. Finley NWR

Trail Number: T305 Region: 1 Total Length: 0.98 Miles

| Section Number | 001 | 002 | 003 |
|-----------------------------|------------|------------|------------|
| Section Length (miles) | 0.72 | 0.18 | 0.08 |
| SAMMS Number | 10048577 | 10048577 | 10048577 |
| Rating Date | 06/06/2007 | 06/06/2007 | 07/13/2011 |
| Trail Section Information | | | |
| Trail Class | TC3 | TC1 | TC3 |
| Surface Type | Mowed | Native | Mowed |
| Surface Firmness | Firm | Soft | Firm |
| Width (inches) | 53 | 60 | 53 |
| Average Grade (%) | 2.5 | 2.5 | 2.5 |
| Average X-slope (%) | 3.40 | 3.40 | 3.40 |
| Trail Condition Information | | | |
| Deferred Maintenance | | \$8,983 | |
| CRV | \$20,279 | \$22,958 | \$2,254 |
| FCI | 0.00 | 0.39 | 0.00 |
| Condition | Excellent | Very Poor | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| \$8,983 | \$45,491 | 0.19 | Poor |






Trail Name:Turtle loop TrailRefuge Name:William L. Finley NWRTrail Number:T306Region: 1Total Length:0.41 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.41 |
| SAMMS Number | 10048577 |
| Rating Date | 06/06/2007 |
| Trail Section Information | |
| Trail Class | TC3 |
| Surface Type | Mowed |
| Surface Firmness | Firm |
| Width (inches) | 72 |
| Average Grade (%) | 1.0 |
| Average X-slope (%) | 3.60 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$15,688 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$15,688 | 0.00 | Excellent |





Trail Name:Dike TrailRefuge Name:William L. Finley NWRTrail Number:T307Region: 1Total Length:0.40 Miles

| Section Number | 001 | 002 |
|-----------------------------|------------|------------|
| Section Length (miles) | 0.21 | 0.19 |
| SAMMS Number | 10048577 | 10048577 |
| Rating Date | 06/06/2007 | 06/06/2007 |
| Trail Section Information | | |
| Trail Class | TC3 | TC3 |
| Surface Type | Admin Road | Mowed |
| Surface Firmness | Firm | Firm |
| Width (inches) | 108 | 72 |
| Average Grade (%) | 3.5 | 3.5 |
| Average X-slope (%) | 3.60 | 3.60 |
| Trail Condition Information | | |
| Deferred Maintenance | | |
| CRV | | \$7,270 |
| FCI | | 0.00 |
| Condition | | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|---------|------|-----------|
| | \$7,270 | 0.00 | Excellent |




| | 0.2 | 0 | 0.2 | | 0.4 | 0.6 | Miles | |
|----|-------------------------|--|-----------------------------|---|----------------------------|---------------------------|----------------|------------------|
| | Excellent | G o | ood Fair | | Poor | Very Poo | or 💮 | Admin Road |
| | Begin Section Trailhead | <u> </u> | Check Dam Retaining Wall | | Step Feature Max. Grade | \boxtimes | Gate Bridge | W E |
| Ŕτ | Trail Sign | 1 | Raised Trail Structure | ₩ | Min. Width | - | Bench | s |
| | Drainage Structure | | Water Bar | + | Intersection | × | Other | Station Boundary |

Trail Name:Mill Hill ExtensionRefuge Name:William L. Finley NWRTrail Number:T308Region: 1Total Length:0.85 Miles

| Section Number | 001 | 002 | 003 | 004 |
|-----------------------------|------------|------------|------------|------------|
| Section Length (miles) | 0.41 | 0.13 | 0.07 | 0.24 |
| SAMMS Number | N/A | N/A | N/A | N/A |
| Rating Date | 07/13/2011 | 07/13/2011 | 07/13/2011 | 07/13/2011 |
| Trail Section Information | | | | |
| Trail Class | TC3 | TC3 | TC5 | TC3 |
| Surface Type | Native | Mowed | Boardwalk | Native |
| Surface Firmness | Firm | Firm | Boardwalk | Firm |
| Width (inches) | 60 | 60 | 60 | 60 |
| Average Grade (%) | 2.5 | 2.5 | 2.5 | 2.5 |
| Average X-slope (%) | 1.60 | 1.60 | 1.60 | 1.60 |
| Trail Condition Information | | | | |
| Deferred Maintenance | | | | |
| CRV | \$52,293 | \$4,145 | \$48,270 | \$30,610 |
| FCI | 0.00 | 0.00 | 0.00 | 0.00 |
| Condition | Excellent | Excellent | Excellent | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----------|------|-----------|
| | \$135,319 | 0.00 | Excellent |





Trail Name: Cheadle Marsh Trail

Refuge Name: William L. Finley NWR

Trail Number: T309 Region: 1

Section Number 001 Section Length (miles) 1.04 N/A SAMMS Number 07/14/2011 Rating Date Trail Section Information TC3 Trail Class Mowed Surface Type Surface Firmness Firm Width (inches) 120 Average Grade (%) 4.5 Average X-slope (%) 1.20 Trail Condition Information **Deferred Maintenance** \$66,323 CRV 0.00 FCI

Trail Condition TOTALS


Excellent

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$66,323 | 0.00 | Excellent |

Condition

Total Length: 1.04 Miles






Trail Name:Blue Heron TrailRefuge Name:William L. Finley NWRTrail Number:T310Region: 1Total Length:1.15 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 1.15 |
| SAMMS Number | N/A |
| Rating Date | 07/15/2011 |
| Trail Section Information | |
| Trail Class | TC3 |
| Surface Type | Mowed |
| Surface Firmness | Firm |
| Width (inches) | 120 |
| Average Grade (%) | 0.9 |
| Average X-slope (%) | 1.20 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$73,338 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$73,338 | 0.00 | Excellent |





Trail Name: Cabell Marsh Overlook Trail Refuge Name: William L. Finley NWR

Trail Number: T400 Region: 1 Total Length: 0.09 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.09 |
| SAMMS Number | 10048207 |
| Rating Date | 06/05/2007 |
| Trail Section Information | |
| Trail Class | TC4 |
| Surface Type | Gravel |
| Surface Firmness | Hard |
| Width (inches) | 62 |
| Average Grade (%) | 2.8 |
| Average X-slope (%) | 1.30 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$12,939 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$12,939 | 0.00 | Excellent |





Trail Name: Cabell Marsh Trail Refuge Name: William L. Finley NWR **Trail Number:** T401 Region: 1

Trail Number: T401 Region: 1

Section Number 001
Section Length (miles) 1.31


Section Length (miles) 10004445 SAMMS Number 06/05/2007 Rating Date Trail Section Information TC4 Trail Class Admin Road Surface Type Surface Firmness Firm 108 Width (inches) Average Grade (%) 0.9 Average X-slope (%) 1.80 Trail Condition Information **Deferred Maintenance** CRV

FCI Condition

Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----|-----|-----------|
| | | | |

Total Length: 1.31 Miles





Trail Name: Pigeon Butte Trail Refuge Name: William L. Finley NWR **Trail Number:** T402 Region: 1

Section Number 001 002 Section Length (miles) 1.27 0.96 10004454 10004454 SAMMS Number 06/05/2007 06/05/2007 Rating Date Trail Section Information TC4 TC4 Trail Class Admin Road Admin Road Surface Type Surface Firmness Firm Firm 108 Width (inches) 108 Average Grade (%) 1.8 1.8 Average X-slope (%) 1.70 1.70 **Trail Condition Information Deferred Maintenance** CRV FCI Condition

Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----|-----|-----------|
| | | | |

Total Length: 2.23 Miles







Trail Name: Finley Prairie Boardwalk Trail Refuge Name: William L. Finley NWR

Trail Number: T403 Region: 1 Total Length: **0.02 Miles**

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.02 |
| SAMMS Number | N/A |
| Rating Date | 06/06/2007 |
| Trail Section Information | |
| Trail Class | TC4 |
| Surface Type | Boardwalk |
| Surface Firmness | Hard |
| Width (inches) | 60 |
| Average Grade (%) | 1.6 |
| Average X-slope (%) | 1.00 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$13,791 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$13,791 | 0.00 | Excellent |





Trail Name: Mid Refuge Connection Trail Refuge Name: William L. Finley NWR

Trail Number: T404 Region: 1 Total Length: 1.28 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 1.28 |
| SAMMS Number | N/A |
| Rating Date | 06/06/2007 |
| Trail Section Information | |
| Trail Class | TC4 |
| Surface Type | Admin Road |
| Surface Firmness | Hard |
| Width (inches) | 108 |
| Average Grade (%) | 1.7 |
| Average X-slope (%) | 0.70 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | |
| FCI | |
| Condition | |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----|-----|-----------|
| | | | |





Trail Name: Turtle Flats Walkway Trail Refuge Name **Trail Number:** T500 Region

Refuge Name: William L. Finley NWR Region: 1

Section Number 001 Section Length (miles) 0.02 10048906 SAMMS Number 06/05/2007 Rating Date Trail Section Information TC5 Trail Class Concrete Surface Type Surface Firmness Hard Width (inches) 58 Average Grade (%) 0.5

Trail Condition Information Deferred Maintenance

Average X-slope (%)

CRV \$3,858
FCI 0.00
Condition Excellent

Trail Condition TOTALS

0.50

| Deferred Maintenance | CRV | | Condition |
|-------------------------|---------|------|-----------|
| | \$3,858 | 0.00 | Excellent |

Total Length: 0.02 Miles



| | 0.025 | | 0 | 0.025 | 0.1 | 05 | 0.075 | |
|-------------|--------------------|-------------|------------------------|-------|--------------|---------------|--------|------------------|
| | | | _ | | | 1 | | Miles |
| | Excellent | G oo | od Fair | | Poor = | Very Poo | or 🛑 | Admin Road |
| \triangle | Begin Section | | Check Dam | | Step Feature | \boxtimes | Gate | Z ^r |
| | Trailhead | <u>س</u> | Retaining Wall | | Max. Grade | \times | Bridge | W DE |
| Ŕī | Trail Sign | 1 | Raised Trail Structure | · ++ | Min. Width | /\ | Bench | Š |
| | Drainage Structure | | Water Bar | + | Intersection | × | Other | Station Boundary |

Trail Name: Snag Boat Boardwalk Trail

Refuge Name: William L. Finley NWR

Trail Number: T501 Region: 1 Total Length: 0.07 Miles

| Section Number | 001 |
|-----------------------------|------------|
| Section Length (miles) | 0.07 |
| SAMMS Number | 10048577 |
| Rating Date | 06/06/2007 |
| Trail Section Information | |
| Trail Class | TC5 |
| Surface Type | Boardwalk |
| Surface Firmness | Firm |
| Width (inches) | 53 |
| Average Grade (%) | 0.1 |
| Average X-slope (%) | 0.40 |
| Trail Condition Information | |
| Deferred Maintenance | |
| CRV | \$42,628 |
| FCI | 0.00 |
| Condition | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|----------|------|-----------|
| | \$42,628 | 0.00 | Excellent |





Trail Name: Homer Campbell Boardwalk Trail Refuge Name: William L. Finley NWR

Trail Number: T502 Region: 1 Total Length: **0.36 Miles**


| Section Number | 001 | 002 |
|-----------------------------|------------|------------|
| Section Length (miles) | 0.31 | 0.05 |
| SAMMS Number | N/A | N/A |
| Rating Date | 07/14/2011 | 07/14/2011 |
| Trail Section Information | | |
| Trail Class | TC5 | TC5 |
| Surface Type | Boardwalk | Boardwalk |
| Surface Firmness | Boardwalk | Boardwalk |
| Width (inches) | 60 | 60 |
| Average Grade (%) | 0.7 | 0.7 |
| Average X-slope (%) | 0.40 | 0.40 |
| Trail Condition Information | | |
| Deferred Maintenance | | |
| CRV | \$213,768 | \$34,479 |
| FCI | 0.00 | 0.00 |
| Condition | Excellent | Excellent |

| Deferred Maintenance | CRV | FCI | Condition |
|-------------------------|-----------|------|-----------|
| | \$248,246 | 0.00 | Excellent |

TRAIL DEFICIENCY

Quantity

Deferred Maintenance




115

\$4,590

480


\$19,005

TRAIL DEFICIENCY



| Mile Post | 0.49 | 0.52 | 0.76 | 0.90 |
|----------------------|--------------|--------------|---------------|--------------|
| Section Number | 002 | 002 | 002 | 002 |
| Photo Number | WIFI_C2_0029 | WIFI_C2_0028 | WIFI_C2_0027 | WIFI_C2_0023 |
| Deficiency | Erosion | Drainage | Drainage | Erosion |
| Action | Repair | Build/Add | Build/Add | Repair |
| Item | Culvert -If | Puncheon -If | Boardwalk -If | Culvert -If |
| Quantity | 4 | 20 | 120 | 30 |
| Deferred Maintenance | \$249 | \$271 | \$4,788 | \$1,547 |

TRAIL DEFICIENCY




Trail Name: Beaver Pond Trail Refuge Name: William L. Finley NWR **Trail Number:** T301 Region: 1

| Mile Post | 0.90 |
|----------------------|--------------|
| Section Number | 002 |
| Photo Number | WIFI_C2_0023 |
| Deficiency | Erosion |
| Action | Build/Add |
| Item | Tread -sf |
| Quantity | 3,100 |
| Deferred Maintenance | \$15,026 |
| | |

Total Length: 0.98 Miles

TRAIL DEFICIENCY



Trail Name: Snag Boat Bend Lake Creek Trail Refuge Name: William L. Finley NWR

Trail Number: T305 Region: 1 Total Length: 0.90 Miles

| Mile Post | 0.37 | 0.50 | 0.52 |
|----------------------|---------------|---------------|----------|
| Section Number | 002 | 002 | 002 |
| Photo Number | | WIFI_C2_0066 | |
| Deficiency | Drainage | Drainage | Obstacle |
| Action | Build/Add | Build/Add | Remove |
| Item | Boardwalk -If | Boardwalk -If | Other |
| Quantity | 25 | 200 | 200 |
| Deferred Maintenance | \$1,036 | \$7,947 | \$0 |

TRAIL NUMBER: T100

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1122 - MP 0.00 - Trailhead

TRAIL NUMBER: T100

STATION: William L. Finley NWR



Photo # WIFI_C2_1122 - MP 0.00 - Sign

TRAIL NUMBER: T100

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1123 - MP 0.11 - Boardwalk -If

TRAIL NUMBER: T100

STATION: William L. Finley NWR



Photo # WIFI_C2_1125 - MP 0.13 - Boardwalk -If

TRAIL NUMBER: T100

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1126 - MP 0.15 - Lookout/Ob Deck

TRAIL NUMBER: T200

STATION: William L. Finley NWR



Photo # WIFI_C2_0018 - MP 0.00 - Trailhead

TRAIL NUMBER: T200

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0021 - MP 0.34 - Sign

TRAIL NUMBER: T200

STATION: William L. Finley NWR



Photo # WIFI_C2_0022 - MP 0.49 - Begin Section

TRAIL NUMBER: T300

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0013 - MP 0.00 - Trailhead

TRAIL NUMBER: T300

STATION: William L. Finley NWR



Photo # WIFI_C2_0014 - MP 0.06 - Sign

TRAIL NUMBER: T300

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0015 - MP 0.13 - Boardwalk -If

TRAIL NUMBER: T301

STATION: William L. Finley NWR



Photo # WIFI_C2_0016 - MP 0.00 - Trailhead

TRAIL NUMBER: T301

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0017 - MP 0.00 - Sign

TRAIL NUMBER: T301

STATION: William L. Finley NWR



Photo # WIFI_C2_0026 - MP 0.79 - Sign

TRAIL NUMBER: T301

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0024 - MP 0.84 - Bridge -sf

TRAIL NUMBER: T301

STATION: William L. Finley NWR



Photo # WIFI_C2_0025 - MP 0.84 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0045 - MP 0.00 - Trailhead

TRAIL NUMBER: T302

STATION: William L. Finley NWR



Photo # WIFI_C2_0046 - MP 0.00 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0047 - MP 0.00 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR



Photo # WIFI_C2_0049 - MP 0.25 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0051 - MP 0.36 - Begin Section

TRAIL NUMBER: T302

STATION: William L. Finley NWR



Photo # WIFI_C2_0052 - MP 0.54 - Begin Section

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0053 - MP 0.54 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR




Photo # WIFI C2 0054 - MP 0.63 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1092 - MP 1.09 - Bench

TRAIL NUMBER: T302

STATION: William L. Finley NWR



Photo # WIFI_C2_1093 - MP 1.09 - Sign

TRAIL NUMBER: T302

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1094 - MP 1.85 - Sign

TRAIL NUMBER: T303

STATION: William L. Finley NWR



Photo # WIFI_C2_0030 - MP 0.00 - Trailhead

TRAIL NUMBER: T303

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0031 - MP 0.00 - Sign

TRAIL NUMBER: T303

STATION: William L. Finley NWR



Photo # WIFI_C2_0032 - MP 0.20 - Bridge -sf

TRAIL NUMBER: T303

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0033 - MP 0.30 - Boardwalk -If

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0040 - MP 0.00 - Trailhead

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0041 - MP 0.00 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0042 - MP 0.00 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0039 - MP 0.09 - Bridge -sf

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0038 - MP 0.10 - Boardwalk -If

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1107 - MP 0.31 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0037 - MP 0.45 - Boardwalk -If

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0036 - MP 0.55 - Boardwalk -If

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0035 - MP 0.59 - Bridge -sf

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1102 - MP 0.70 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR




Photo # WIFI C2 1104 - MP 0.70 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1103 - MP 0.70 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0035 - MP 0.59 - Begin Section

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1109 - MP 0.61 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_1106 - MP 0.11 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1108 - MP 0.39 - Sign

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_0034 - MP 0.63 - Begin Section

TRAIL NUMBER: T304

STATION: William L. Finley NWR

DATE: 12/14/2007



Photo # WIFI_C2_0034 - MP 0.63 - Boardwalk -If

TRAIL NUMBER: T304

STATION: William L. Finley NWR



Photo # WIFI_C2_1105 - MP 1.00 - Sign

TRAIL NUMBER: T305

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0061 - MP 0.00 - Trailhead

TRAIL NUMBER: T305

STATION: William L. Finley NWR



Photo # WIFI_C2_1111 - MP 0.16 - Sign

TRAIL NUMBER: T305

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0062 - MP 0.35 - Sign

TRAIL NUMBER: T305

STATION: William L. Finley NWR



Photo # WIFI_C2_1114 - MP 0.62 - Sign

TRAIL NUMBER: T305

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1113 - MP 0.43 - Begin Section

TRAIL NUMBER: T305

STATION: William L. Finley NWR



Photo # WIFI_C2_1112 - MP 0.48 - Lookout/Ob Deck

TRAIL NUMBER: T306

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0065 - MP 0.00 - Trailhead

TRAIL NUMBER: T307

STATION: William L. Finley NWR



Photo # WIFI_C2_0063 - MP 0.00 - Trailhead

TRAIL NUMBER: T307

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0064 - MP 0.21 - Begin Section

TRAIL NUMBER: T308

STATION: William L. Finley NWR



Photo # WIFI_C2_1099 - MP 0.27 - Sign

TRAIL NUMBER: T308

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1098 - MP 0.32 - Sign

TRAIL NUMBER: T308

STATION: William L. Finley NWR



Photo # WIFI_C2_1101 - MP 0.10 - Begin Section

TRAIL NUMBER: T308

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1097 - MP 0.41 - Begin Section

TRAIL NUMBER: T308

STATION: William L. Finley NWR



Photo # WIFI_C2_1096 - MP 0.48 - Begin Section

TRAIL NUMBER: T308

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1100 - MP 0.00 - Trailhead

TRAIL NUMBER: T309

STATION: William L. Finley NWR



Photo # WIFI_C2_1128 - MP 0.01 - Gate

TRAIL NUMBER: T309

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1129 - MP 0.01 - Sign

TRAIL NUMBER: T309

STATION: William L. Finley NWR



Photo # WIFI_C2_1130 - MP 0.73 - Sign

TRAIL NUMBER: T309

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1131 - MP 0.91 - Sign

TRAIL NUMBER: T309

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1132 - MP 1.04 - Intersection

Report Generated: 12/29/2011

TRAIL NUMBER: T309

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1127 - MP 0.00 - Trailhead

TRAIL NUMBER: T310

STATION: William L. Finley NWR

DATE: 07/15/2011



Photo # WIFI_C2_1133 - MP 0.00 - Trailhead

TRAIL NUMBER: T400

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0001 - MP 0.00 - Trailhead

TRAIL NUMBER: T400

STATION: William L. Finley NWR



Photo # WIFI_C2_0002 - MP 0.00 - Sign

TRAIL NUMBER: T400

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0003 - MP 0.00 - Sign

TRAIL NUMBER: T400

STATION: William L. Finley NWR



Photo # WIFI_C2_0004 - MP 0.05 - Boardwalk -If

TRAIL NUMBER: T400

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0005 - MP 0.06 - Sign

TRAIL NUMBER: T400

STATION: William L. Finley NWR



Photo # WIFI_C2_0006 - MP 0.07 - Sign

TRAIL NUMBER: T401

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0008 - MP 0.00 - Sign

TRAIL NUMBER: T401

STATION: William L. Finley NWR

DATE: 12/14/2007



Photo # WIFI_C2_0007 - MP 0.00 - Trailhead

TRAIL NUMBER: T401

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0009 - MP 0.84 - Sign

TRAIL NUMBER: T402

STATION: William L. Finley NWR



Photo # WIFI_C2_0011 - MP 0.00 - Trailhead

TRAIL NUMBER: T402

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0012 - MP 0.00 - Sign

TRAIL NUMBER: T402

STATION: William L. Finley NWR



Photo # WIFI_C2_0010 - MP 0.92 - Begin Section

TRAIL NUMBER: T403

STATION: William L. Finley NWR

DATE: 07/13/2011



Photo # WIFI_C2_1110 - MP 0.00 - Sign

TRAIL NUMBER: T403

STATION: William L. Finley NWR



Photo # WIFI_C2_0055 - MP 0.00 - Trailhead

TRAIL NUMBER: T403

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0056 - MP 0.00 - Sign

TRAIL NUMBER: T404

STATION: William L. Finley NWR



Photo # WIFI_C2_0057 - MP 0.00 - Trailhead

TRAIL NUMBER: T500

STATION: William L. Finley NWR

DATE: 06/05/2007



Photo # WIFI_C2_0043 - MP 0.00 - Trailhead

TRAIL NUMBER: T500

STATION: William L. Finley NWR



Photo # WIFI_C2_0044 - MP 0.02 - Sign

TRAIL NUMBER: T501

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0058 - MP 0.00 - Trailhead

TRAIL NUMBER: T501

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0059 - MP 0.00 - Sign

Report Generated: 12/29/2011

TRAIL NUMBER: T501

STATION: William L. Finley NWR

DATE: 06/06/2007



Photo # WIFI_C2_0060 - MP 0.07 - Sign

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1115 - MP 0.00 - Trailhead

Report Generated: 12/29/2011

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1116 - MP 0.00 - Sign

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1117 - MP 0.10 - Bench

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1118 - MP 0.20 - Bench

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1119 - MP 0.31 - Lookout/Ob Deck

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1120 - MP 0.31 - Bench

TRAIL NUMBER: T502

STATION: William L. Finley NWR

DATE: 07/14/2011



Photo # WIFI_C2_1121 - MP 0.30 - Begin Section

Report Generated: 12/29/2011

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.